

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24434

Stream : Little Eagle Creek

Applicant : Banning Engineering
Joe Miller, PE
853 Columbia Road, Suite 101
Plainfield, IN 46168-7556

Description : Approximately 410' will be stabilized by placing boulders along the bottom of the streambank from the existing edge of water to a height of 5' above the stream at a slope of 2:1. The wall will not project into the stream more than 2'. Native vegetation will be placed between the boulders. The banks above the boulders will be seeded with native vegetation and covered with erosion control blankets. In addition, a row of 2' - 3' boulders will be placed at the upstream end to form a stream barb. The barb will extend 10' into the existing channel and will be approximately 1.5' above the existing grade. All excavated material will be removed from the floodway. Specific project information will be added to the description as the application is further reviewed.
Details of the project are contained in information and plans received at the Division of Water on July 30, 2007.

Location : Along the west bank of Little Eagle Creek beginning approximately 400' south of the intersection of County Road 550 South and Templin Road near Zionsville, Boone County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-24439
- Stream : Eagle Creek
- Applicant : Marathon Petroleum Company, LLC
Richet Clark
539 South Main Street
Findlay, OH 45840-3229
- Description : Fourteen 20' by 8' by 4.5" Submar revetment mats will be placed around the exposed Robinson-Lima 10" products pipeline to protect the streambed and streambanks from further erosion. The mats will be keyed into the streambank with clean rip rap fill if needed. Details of the project are contained in information and plans received at the Division of Water on August 2, 2007.
- Location : Beginning approximately 175' east of Turkey Foot Road and continuing downstream for approximately 30'
at Zionsville, Eagle Township, Boone County
Section 35, T 12N, R 7W, Zionsville Quadrangle
Quad Code: 3908683
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : FW-24445
- Stream : Ohio River
- Applicant : Hilltop Basic Resources, Inc.
R. Dan Corner, P.E.
One West Fourth Street, Suite 1100
Cincinnati, OH 45202-3615
- Description : A 36" diameter outfall pipe will be placed above the base flood elevation on the north bank of the Ohio River. To prevent erosion, an approximate 30' wide area of limestone shotrock will be placed at the end of the structure and will extend 160' to a point 2' below the normal pool elevation of 455.0' (NGVD). Details of the project are contained in information and plans received at the Division of Water on August 3, 2007 and August 15, 2007.
- Location : approximately 1125' east and 300' south of the intersection of State Route 156 and Gridley Road
near Patriot, Posey Township, Switzerland County
SE¼, SE¼, Section 30, T 2N, R 1E, Rising Sun, IN-KY Quadrangle
Quad Code: 3808487
UTM Coordinates: Downstream 4306909 North, 690331 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24446

Stream : Ohio River

Applicant : William G Fields
3127 Oriole Drive
Louisville, KY 40213-1105

Description : A new residential structure will be constructed in the floodway. Details of the project are contained in information and plans received at the Division of Water on August 6, 2007.

Location : 4620 Rivers Edge Drive, on the north bank of the river approximately 1400' west of the Bull Creek confluence
near Rolling Hills, Charlestown Township, Clark County
Clark Military Grant #57, Owen, KY-IN Quadrangle
Quad Code: 3808545
UTM Coordinates: Downstream 4257346 North, 626815 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24447

Stream : East Fork White River

Applicant : Columbus City Utilities
Ed Bergsieker
1111 McClure Road
PO Box 1987
Columbus, IN 47202-1987

Description : Approximately 8,000' of 24" diameter and 6350' of 12" diameter pipe will be placed in the floodway. Also, an existing access road will be improved. Details of the project are contained in information and plans received at the Division of Water on August 7, 2007.

Location : Along the west bank of the river, approximately 1.5 miles downstream of the confluence with Haws Creek
near Columbus, Columbus Township, Bartholomew County
NW¼, Section 1, T 8N, R 5E, Columbus Quadrangle
Quad Code: 3908528
UTM Coordinates: Downstream 4335816 North, 593800 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24452

Stream : Hogan Creek

Applicant : Dearborn County Soil and Water Conservation
District
Kristen Vance
10729 Randall Avenue, Suite 2
Aurora, IN 47001-9489

Description : A 30' by 10' concrete boat ramp will be constructed along the north bank of the stream. Additional construction includes a 20' by 26' area of serpentine seating and a 25' by 65' gravel turn-around. Details of the project are contained in information and plans received at the Division of Water on August 13, 2007.

Location : Along the right (east) bank of the stream approximately 2000' upstream of the confluence with the Ohio River
near Aurora, Center Township, Dearborn County
NE¼, NE¼, NW¼, Section 32, T 5N, R 1W, Aurora, IN-KY Quadrangle
Quad Code: 3908418
UTM Coordinates: Downstream 4325573 North, 681410 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24453

Stream : St. Joseph River

Applicant : Claude R Gunter
29477 County Road 16 West
Elkhart, IN 46516-1313

Description : An existing, wood/metal seawall will be refaced with a new steel sheet piling seawall along 205' of the south (left) bank of the river approximately 4.5' high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the east and the west. The piling will be driven approximately 6.5' into the riverbed and will be anchored with deadmen spaced at 15' intervals. An inside facing whaler will be placed across the inside of the wall to further stabilize the structure. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Additionally, a cantilevered walkway 4' wide and 30' long will be constructed parallel to the seawall. Details of the project are contained in information received electronically at the Division of Water on August 14, 2007 and in plans and information received at the Division of Water on

Location : along the left (south) bank of the St. Joseph River approximately 8000' downstream from the confluence of the Osborne Manning Ditch
near Elkhart, Baugo Township, Elkhart County
SE¼, NE¼, NW¼, Section 11, T 37N, R 4E, Osceola Quadrangle
Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24454

Stream : Cool Creek

Applicant : Glenn E Ross
112 Red Oak Court
Carmel, IN 46033-1967

Description : Approximately 48' of 50' of eroded streambank will be stabilized with 3' by 3' gabion rip rap bags to protect the bank from further erosion. The bags will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 6', a maximum streamward projection of 0' beyond the existing bank, and base of 6', height of 6', 2 bags on bottom, one bag on top with backfill sideslopes. Details of the project are contained in information received electronically at the Division of Water on August 15, 2007 and in plans and information received at the Division of Water on

Location : 112 Red Oak Court
near Carmel, Clay Township, Hamilton County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : PL-20800

Lake : McClish Lake

Applicant : Daniel L Heiman
460 Lane 201 McClish Lake
Hudson, IN 46747-9244

Description : A new bioengineered seawall will be constructed across 166' of the applicant's 240' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. No seawall will be placed across the remaining 74' of the applicant's lake frontage. Details of the project are contained in information received electronically at the Division of Water on July 9, 2007 and in plans and information received at the Division of Water on July 17, 2007 and July 31, 2007.

Location : 460 Lane 201 McClish Lake; Lot 18 of Longs Plat
near Helmer, Salem Township, Steuben County
SW $\frac{1}{4}$, NW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 31, T 36N, R 12E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4600143 North, 650912 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20822

Lake : Webster Lake

Applicant : Cladys Hollon
224 EMS West 17 Lane
North Webster, IN 46555-9507

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on July 20, 2007 and August 3, 2007.

Location : 224 EMS W17 Lane

near North Webster, Tippecanoe Township, Kosciusko County
SE¼, SW¼, SW¼, Section 12, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4575728 North, 611368 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20833

Lake : Kuhn Lake

Applicant : Michael L Tolle
2812 West Woodbridge Drive
Muncie, IN 47304-1069

Description : A new concrete seawall will be constructed across 150' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 27, 2007.

Location : 64 EMS B8 Lane
near North Webster, Tippecanoe Township, Kosciusko County
SW¼, SW¼, NW¼, Section 26, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4571588 North, 609876 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20839

Lake : Little Chapman Lake

Applicant : Jeanne M Schutz
2037 Chapman Lake Drive
Warsaw, IN 46582-7840

Description : A new glacial stone seawall will be constructed across 50' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 30, 2007.

Location : 2037 Chapman Lake Drive; lot 25 of Highlands Addition
near Warsaw, Plain Township, Kosciusko County
NE¼, SE¼, NE¼, Section 35, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4569868 North, 601566 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20845

Lake : Lake Wawasee

Applicant : Karen Lynne Carter Vierk
4350 Soldiers Home Road
West Lafayette, IN 47906-9757

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. A 12" layer of riprap will be placed at the base of the wall for toe protection. Details of the project are contained in information and plans received at the Division of Water on August 7, 2007.

Location : 11026 State Road 13; Lot 16 of Ideal Beach
at Syracuse, Turkey Creek Township, Kosciusko County
SW¼, SW¼, SW¼, Section 15, T 34N, R 7E, Lake Wawasee Quadrangle
Quad Code: 4108546
UTM Coordinates: Downstream 4583346 North, 607828 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20849

Lake : Sylvan Lake

Applicant : **Indiana Department of Natural Resources
Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : The existing boat ramp will be removed and replaced with two 15' by 120' concrete ramps. There will 5' between the ramps with riprap placed at the same level of the boat ramps. In addition, the existing floating pier will be relocated approximately 50' north of its current location. Glacial stone will be placed along the outside of the boat ramps and the floating pier. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 8, 2007.

Location : At the Public Access Site at Sylvan Lake
near Rome City, Orange Township, Noble County
SW¼, NW¼, NE¼, Section 16, T 35N, R 10E, Albion Quadrangle
Quad Code: 4108544

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20851

Lake : Bass Lake

Applicant : **Indiana Department of Natural Resources
Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A rehabilitation of a public access site is proposed. The existing boat ramp will be replaced with a 96' by 15' concrete ramp. Glacial stone will be installed along 10' of both sides of the new ramp. In addition, a 16' by 5' wide accessible floating pier will be installed with a 30' by 16' ADA parking pad. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 8, 2007.

Location : Public access site at Bass Lake
near Knox, California Township, Starke County
SE¼, NE¼, NW¼, Section 23, T 32N, R 2W, Bass Lake Quadrangle
Quad Code: 4108625

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20855

Lake : Cedar Lake

Applicant : Michael D Rudd
2095 East Crampton Road
Columbia City, IN 46725-8979

Description : In 1994 I was granted a permit to put in a new underwater beach (application: PL-16,065). Per the recommendation of the DNR, a geo-textile fabric was placed on the lake bottom followed by 4" of wash pea gravel. That beach has now in been in place for approximately 13 years and some of the pea gravel has washed away thus exposing the geo-textile fabric. I am now seeking permission to replenish the lost pea gravel of this existing underwater beach. The beach is located in front of the applicant's property. A 4" layer of 7/64" diameter clean, washed pea gravel will be placed directly on top of the remaining pea gravel. The placement will begin approximately 45' east of the western property line and will extend east 50' of the total 130' frontage. It will project lake ward for the lesser of 30' or a depth of 6' below the lake's legal level. Note: Lilly pads and other vegetation will not be disturbed. Details of the project are contained in information received electronically at the Division of Water on August 15, 2007 and in plans and information received at the Division of Water on

Location : Lots numbered 13 and 14, in Crampton's Cedar Lake Addition to Tri-Lakes Resort,
In Whitley County, Indiana, recorded in plat book B, page 22

near Columbia City, Thorncreek Township, Whitley County
Section 11, T 32N, R 9E #1, Columbia City Quadrangle
Quad Code: 4108524

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20856

Lake : Lake James

Applicant : Connie D Knight
35 Lane 310A Lake James
Angola, IN 46703-9011

Description : A beach is proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on August 7, 2007.

Location : 35 Lane 310A
near Angola, Jamestown Township, Steuben County
NW¼, NW¼, NW¼, Section 10, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4616735 North, 664072 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20858

Lake : Crooked Lake

Applicant : David J Cerajewski
4405 West Orland Road
Angola, IN 46703-8101

Description : A new underwater beach will be constructed in front of the property of the applicant on Crooked Lake to provide a safe walking surface and better swimming quality. The beach will consist of a 4" to 6" thick layer of (7/64 inch clean, washed pea gravel/sand) placed directly on the lakebed. The beach will begin approximately 5' west of the eastern property line and will extend westerly across 30' of the 72' frontage. It will have a maximum lakeward projection of 15' or a depth of 5' below the average normal level of the lake. A new seawall will be constructed along the frontage of the applicant on Crooked Lake to deter shoreline erosion. The wall will be composed of 6" to 8" diameter glacial stone and will be approximately 50' long. Its lakeward face will be at the average normal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on August 16, 2007 and in plans and information received at the Division of Water on

Location : 4405 West Orland Road
at Angola, Pleasant Township, Steuben County
Section 6, T 37N, R 13E, Survey

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11